Flexiper

Wide range of procedures
HIPEC, HITHOC and ILP

Features:

✓ Easy to use. The panel PC guides through the several phases

✓ Quick to reach the wished temperature of the solution thanks to the proven external heat exchanger, patent EP1951229B1

✓ Easy to move and transport





REAL TIME MONITORING

The pannel PC 15" shows in real-time the waveform of the temperature probes and pressure channels

CLINICAL REPORT

All the treatment data and parameters are stored in the internal memory of the pannel PC and can be easily shared with the hospital IT system using the USB and the Ethernet port

SIMPLE TO MANAGE

A retro-illuminated 5.7" graphic colour screen and dedicated keyboard enable the operator to set the parameters of the various procedures and carry them out

SIMPLE AND COMPLETE

The unit, with two integrated pumps, manages accurately the fluid dynamics of the different procedures



ACCURATE CONTROL OF THE TEMPERATURE

The extensible arm enables the disposable heat exchanger to be placed close to the patient minimising the heat dissipation so that the perfusate temperature is precisely controlled



RELIABLE AND RAPID

The patented heating system N° EP1951339B1 made up of high thermal efficiency heater and miniaturised heat exchanger, enables the temperature set to be reached very rapidly and maintained at the standard required with maximum linearity thus guaranteeing appreciable reduction in the duratio of the procedures



DISPOSABLE PATIENT KITS

The disposable lines required to carry out the procedures (HIPEC, HITOC and ILP) are pre-assembled for rapid and intuitive connection to the Flexiper equipment

TEMPERATURE PROBES AND PRESSURE SENSORS

Flexiper manages up to 10 temperature probes and 2 pressure sensors for continuos control of these parameters inside the patient

PART NUMBER

M90225	Flexiper equipment
M90236	Kit for HIPEC
M90253	Kit for Isolated Limb Perfusion
M1024229VY	Temperature Probe



